





NOTES:

- PITS DEEPER THAN 1000 TO BE FITTED WITH STEP IRONS.
- STEP IRONS SHALL BE LOCATED DIRECTLY BELOW THE OPENING IN THE COVER AND DESIRABLY ON A WALL WITHOUT PIPE OPENINGS.
- WHERE STEP IRON LADDER CHANGES FROM ONE WALL TO THE ADJACENT WALL, STEP IRON LADDERS TO OVERLAP BY 1200mm MINIMUM.
- STEEL FOR STEP-IRONS SHALL BE STRUCTURAL GRADE 250 TO AS3679 PART 1.
- STEP IRONS SHALL HAVE SHARP EDGES ROUNDED AND HOT DIP GALVANISED AFTER FABRICATION TO AS/NZS 4680.
- PROPRIETARY POLYPROPYLENE STEP IRONS (OR APPROVED ALTERNATIVE) MAY BE USED. THESE SHALL BE INSTALLED ACCORDING TO THE MANUFACTURERS INSTRUCTIONS.
- FOR PRECAST PITS, STEP IRONS SHALL BE LOAD TESTED TO AS4198/1994.
- FOR REINFORCEMENT DETAILS REFER TO EDCM 605-608.

0	FINAL ISSUE	DG	ММ	-	16.11.15
No	Revision Note: * indicates signatures on original issue of drawing or last revision of drawing	Drawn	Checked	Approved	Date













STANDARD DRAWINGS FOR SUBDIVISIONS IN GROWTH AREAS STEP IRONS

