

DAYLIGHT TO EXISTING HABITABLE ROOM WINDOWS

Purpose of this Guideline and Interpretation

The purpose of this Guideline is to set out the matters to be considered by a reporting authority when preparing a report on, and considering whether to consent to, (**report and consent**) a variation to the siting, design and access requirements prescribed under Part 5 of the Building Regulations 2018 (**Regulations**), for an application for a building permit for a single dwelling, including a principal single dwelling, a small second dwelling or a front fence.

Each provision of this Guideline comprises a statement of the objective and the matters to be considered when deciding whether the objective is met. Under clause 4A of Schedule 2 of the Act, a reporting authority must have regard to the guidelines made under section 188A in the cases set out in that clause. **If any matter set out in this Guideline is not met, clause 4A(2)(d) of Schedule 2 to the Act requires that the reporting authority must refuse to give its consent to an application for a building permit.**

In this Guideline—

- **existing dwelling** is a single dwelling that is already constructed;
- **principal single dwelling** is a single dwelling that is not a small second dwelling or a front fence;
- **Regulations** means the *Building Regulations 2018*;
- **single dwelling** has the same meaning as it has under section 188A(4) of the Act and regulation 70 of the Regulations: a building, or buildings, which is a Class 1 building and any Class 10 building associated with a Class 1 building, that is or are intended to be used as a dwelling;
- **small second dwelling** has the same meaning as it has under regulation 5 of the Regulations. (A **small second dwelling** is defined to mean a Class 1a building that is self-contained and has a gross floor area that is equal to or less than 60 m² on the same allotment as an existing building that is a single Class 1 building that is not a small second dwelling).

Objective

To allow adequate daylight into habitable room windows.

Decision Guidelines

The reporting authority may give its consent to an application for a building permit for a principal single dwelling or a small second dwelling (as applicable) that does not comply with regulation 81 (*Daylight to existing habitable room windows*) of the Regulations if **all of the following criteria apply**:

- a. the building will not impact on the amenity of existing dwellings on nearby allotments; and

Council Offices

25 Ferres Boulevard, South Morang VIC 3752

Mail to: Locked Bag 1, Bundoora MDC VIC 3083

Phone: 9217 2170

National Relay Service: 133 677 (ask for 9217 2170)

Email: info@whittlesea.vic.gov.au

Free telephone interpreter service

 **131 450**

ABN 72 431 091 058

whittlesea.vic.gov.au

b. the setback is consistent with a building envelope, if one has been approved under a planning scheme or planning permit and or specified in an agreement under section 173 of the *Planning and Environment Act 1987*.

INFORMATION PRIVACY: The information supplied on this form is shared with the Victorian Building Authority, the Electoral Commission and other government agencies as required by law and in accordance with Council's Privacy Policy which is published at www.whittlesea.vic.gov.au

NOTE: If you choose not to provide the information sought your application may not be processed.

Council Offices

25 Ferres Boulevard, South Morang VIC 3752

Mail to: Locked Bag 1, Bundoora MDC VIC 3083

Phone: 9217 2170

National Relay Service: 133 677 (ask for 9217 2170)

Email: info@whittlesea.vic.gov.au

Free telephone interpreter service



131 450